

Form - IV
ANNUAL REPORT

Sl. No.	Particulars	
1.	Particulars of the Occupier	: Sadar hospital Koderma
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. Ranjan Kumar
	(ii) Name of HCF or CBMWTF	: Bio-Genetic Laboratory Patna.
	(iii) Address for Correspondence	: Near Civil Court
	(iv) Address of Facility	: Near Civil Court, Sadar hospital
	(v) Tel. No, Fax. No	:
	(vi) E-mail ID	: sadarhospital30@gmail.com
	(vii) URL of Website	:
	(viii) GPS coordinates of HCF or CBMWTF	:
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation <u>Applied</u> No.:valid up to
(xi). Status of Consents under Water Act and Air Act	: Valid up to:	
2.	Type of Health Care Facility	: District hospital
	(i) Bedded Hospital	: No. of Beds: <u>100</u>
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	: <u>1</u>
	(ii) No of beds covered by CBMWTF	: <u>100</u>
	(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: _____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category : <u>9100 Kg</u>
		: Red Category : <u>4000 Kg</u>
		: White: <u>2000 Kg</u>
		: Blue Category : <u>2200 Kg</u>
		: General Solid waste: <u>3000 Kg</u>
5	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	: Size : <u>L = 12.5 ± 0.5 ft x H = 5ft x H₂ = 6ft</u>
		: Capacity : <u>187.50 kg/ft.</u>
	: Provision of on-site storage : (cold storage or any other provision)	

disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		Incinerators	0	0	0
		Plasma Pyrolysis	0	0	0
		Autoclaves	5	-	-
		Microwave	0	-	-
		Hydroclave	0	-	-
		Shredder	0	-	-
		Needle tip cutter or destroyer	15	-	-
		Sharps encapsulation or concrete pit	01	-	-
		Deep burial pits:	02	-	-
		Chemical disinfection:	0	-	-
		Any other treatment equipment:	-	-	-
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)			
	(iv) No of vehicles used for collection and transportation of biomedical waste	-			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	3			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Quantity generated Where disposed			
	(vii) List of member HCF not handed over bio-medical waste.	Incineration Ash ETP Sludge			
	6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Bio genetic Pvt Ltd.			
	7 Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.	6 times			
	(ii) number of personnel trained	70			
	(iii) number of personnel trained at the time of induction	70			
	(iv) number of personnel not undergone any training so far	30			
	(v) whether standard manual for training is available?	Yes			
	(vi) any other information				
	8 Details of the accident occurred during the year				

	(i) Number of Accidents occurred	193 (RTA)
	(ii) Number of the persons affected	193
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	-
	Details of Continuous online emission monitoring systems installed	-
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	-
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

F.Y - 2019-20

Name and Signature of the Head of the Institution

Date: 06-06-2020
Place: DH-KODERMA

हृषीकेश
सदर अध्यक्ष, कोडरमा